

Spanish Point technologies Itd



SERVING AUTHORS WORLDWIDE AU SERVICE DES AUTEURS DANS LE MONDE AL SERVICIO DE LOS AUTORES EN EL MUNDO

CISAC

ISWC Database Allocation and Resolution Solution

Document Control

Change Record

Date	Person	Version/Reference
24 th Jan 2020	John Corley,	V1.0 / Initial Draft for review by design team
	Curnan Reidy	
31 st Jan 2020	John Corley	V1.1 / Updates based on feedback to highlight
		that there will still be separate allocation and
		resolution services but that they will be
		delivered by the same software solution.
5 th Feb 2020	John Corley	V1.2 / Updated based on feedback from second
		design workshop
14 th Feb 2020	John Corley	V1.3 / Updates based on feedback from design
		team on 10 th Feb and follow on discussion at
		PTM on 14 th Feb
16 th Mar 2020	John Corley	V1.4 / Updates following publisher feedback.
		Added flat file data exchange format.
24 th Mar 2020	John Corley	V1.5 / Updates following review with design
		team
30 th Mar 2020	John Corley	V1.6 / Updates following publisher feedback
1 st Apr 2023	Curnan Reidy	Updated
		AdditionalIdentifiers/AgencyWorkCodes for
		both JSON and Flat File to support search by
		work code for the IRS

Reviewers

Katrien Tielemans Bolmar Carrasquilla Ed Oshanani Didier Roy Hanna Mazur José Macarro Christopher McKenzie Roseany Fagundes Janice Hooper Sylvain Piat John Corley Niamh McGarry Declan Rudden Curnan Reidy Cynthia Lipskier multipleAgencyWorkCodes

Distribution

Reviewers

Approval

This document was approved electronically via email by the following people on the following dates:

Date/lime Person Note

Table of Contents

D	ocument Control	2
	Change Record	2
	Reviewers	2
	Distribution	3
	Approval	3
Ta	ble of Contents	4
1	Introduction	7
	What does this document contain?	7
	Who should read this document?	7
	References	7
2	Solution Introduction	8
	2.1. Overview	8
	2.2. Data Exchange File Locations	9
	2.3. JSON Data Exchange File Format	9
	2.4. JSON File Structure	9
	2.4.1. Developer Artefacts	9
	2.4.2. Schema and Validation	10
	2.4.3. File Header	11
	2.4.3.1. Transaction Level Validation	13
	2.4.3.2. Field Level Validation	13
	2.4.4. Transaction Groups	13
	2.4.5. JSON File Naming, Transfer and Encoding	14
	2.4.6. File Encoding	14
	2.4.7. File Transfer and Location	14
	2.4.8. File Naming Convention	14
	2.5. Flat File Data Exchange Format	15
	2.5.1. Developer Artefacts	15
	2.6. Embedded Process for Allocations	16
3	JSON Format Transactions	17
	3.1. AddSubmission	17

	3.1.1. Transaction Level Validation	19
	3.1.2. Field Level Validation	19
	3.1.3. Sample	20
	3.2. FindSubmission	21
	3.2.1. Transaction Level Validation	22
	3.2.2. Field Level Validation	23
	3.2.3. Sample	23
	3.3. Acknowledgement Record Format	24
	3.3.1. Transaction Level Validation	25
	3.3.2. Field Level Validation	25
	3.3.3. Sample	26
4	Flat File Data Exchange Format	29
	4.1. File Structure	29
	4.1.1.1. File Headers and Delimiters	29
	4.1.2. AddSubmission / Allocation Record	30
	4.1.2.1. Transaction Level Validation	33
	4.1.2.2. Field Level Validation	34
	4.1.3. FindSubmission / Resolution Record	34
	4.1.3.1. Transaction Level Validation	38
	4.1.3.2. Field Level Validation	38
	4.1.4. Acknowledgment Record	39
	4.1.4.1. Transaction Level Validation	40
	4.1.4.2. Field Level Validation	40
	4.2. File Naming, Transfer and Encoding	41
	4.2.1. File Encoding	41
	4.2.2. File Transfer and Location	41
	4.2.3. File Naming Convention	41
5	Changes to Agency Solution	42
	5.1. ISWC Database Data-Structure Changes	42
	5.2. ISWC Database Data-Structure Changes	42
	5.2.1. [ISWC].[AdditionalIdentifier] Table	42
	5.2.2. [Lookup].[NumberType] Table	43
	5.2.3. [Lookup].[PublisherSubmitterCode] Table	43
6	Reporting	45

Appendix A – Open and Closed Items	46
Appendix B – Lookup Codes and Descriptions	50

1 Introduction

What does this document contain?

It provides the detailed design of the new allocation and resolution solution that will be provided to societies and publishers. This new solution will be based on a JSON format file-based exchange with the ability to extend to other formats if needed.

Who should read this document?

CISAC development and project management personnel. Society development and project management personnel. Spanish Point development team members.

References

Reference	Description
SPE_20191118_ISWC_JSON_fileFormat	JSON data exchange file format for
	Agencies in new ISWC system
https://members.cisac.org/CisacPortal/cisacDo	CISAC CWR Send ID and codes
wnloadFile.do?docId=8558	
http://members.cisac.org/CisacPortal/cisacDo	CISAC society codes
wnloadFileSearch.do?docId=24111⟨=en&t	
ype=pdf	
Iswc publisher JSON Format.zip	Companion developer artefacts for
	this specification. Includes JSON
	schema, sample files and sample
	validator application.

2 Solution Introduction

2.1. Overview

The goal of having a combined solution is that there will be a single consistent software system for both allocating new and resolving existing ISWCs. This solution will be an extension of the already developed solution for ISWC agencies, will use the same rules and will share the same code base. This will bring significant benefits for ISWC agencies including:

- A single consistent set of business rules applied to all ISWCs
- Ability to provide a central reporting solution that reports across all ISWC allocation and resolution submissions regardless of if they originated from a publisher or a society
- A single consistent modern data exchange format that can include allocation submissions, resolution submissions or both.
- Additional support for a simple consistent "flat file" format for allocations and resolution

Having this single combined solution and data exchange format in no way limits the way in which societies can provide this functionality as a service to publishers.

- Currently the allocation of ISWCs prior to work registration is provided as a service by societies and this service is fulfilled at the back-end by the CISAC hosted solution. The only changes proposed to this are:
 - A new different consolidated back-end system
 - A new single modern data exchange format and an additional simple flat file format
 - The option for a society to have the data exchange location hosted at a CISAC location instead of hosted at their society (if required)

I.E. CISAC will continue to validate a society for enablement of the allocation service and societies in turn will validate each publisher for use of the allocation service and will be the providers of the service to publishers.

- Currently the resolution of ISWCs for publisher back-catalogues is provided as a central service by CISAC to publishers. The only changes proposed to this are:
 - A new different consolidated back-end system

• A new single modern data exchange format and an additional simple flat file format

I.E. CISAC will continue to validate each publisher for use of the resolution service and will be the provider of the service to publishers.

2.2. Data Exchange File Locations

For the IAS, all society sourced files in the new data exchange file format will be deposited in a society specific secure ftp location, with sub folders per publisher, for processing by the combined allocation and resolution solution. Resulting acknowledgement files in the same format will be deposited in the same location for pick up by the society.

Similarly, all publisher sourced files for the IRS in the new data exchange file format will be deposited in a publisher specific secure ftp location for processing by the combined allocation and resolution solution. Resulting acknowledgement files in the same format will be deposited in the same location for pick up by the publisher.

2.3. JSON Data Exchange File Format

The ISWC Publisher JSON data format is based on the ISWC Agency JSON format and includes the information supported by the different existing allocations and resolution service formats.

In addition, it has the following benefits over the existing formats:

- It is a single consistent format for both allocation and resolution
- It is schema based, enabling validation of the core message format, required fields, datatypes and list values at source.
- It is easier to process and manipulate in modern development tools.

2.4. JSON File Structure

The section describes the structure of the ISWC Publisher JSON Format and the developer artefacts that are included with this specification.

2.4.1. Developer Artefacts

This specification includes the following companion artefacts:

File Name	Description
iswc_publisher_schema.json	Schema that defines the valid ISWC
	Publisher JSON format.
SampleSubmissionsAllocation.json	Sample Publisher ISWC JSON file
	that contains a set of ISWC
	Allocation Submission transactions
	from a publisher, through an agency
	(128), to be processed by the ISWC
	Database (315) and that conforms to
	the above schema.
SampleAcknowledgementsAllocation.json	Sample ISWC Publisher JSON file
	that contains a set of ISWC
	the ISWC database to a publisher
	through an agency in response to
	the transactions sent in the previous
	file.
SampleSubmissionsResolution.json	Sample Publisher ISWC JSON file
	that contains a set of ISWC
	Resolution Submission transactions
	from a publisher, through CISAC
	(312) as a Submitting Agency, to be
	processed by the ISWC Database
	(315) and that conforms to the above
	schema.
SampleAcknowledgementsResolution.json	Sample ISWC Publisher JSON file
	that contains a set of ISWC
	the ISWC database to a publisher
	through a CISAC hosted Publisher,
	SFTP folder
Validator.py	Sample python application that
	validates all .json files in the current
	folder against the
	iswc_publisher_schema.json
	document also stored in that folder.

2.4.2. Schema and Validation

All files should be validated against the schema, "iswc_publisher_schema.json" by the generator of the file. The ISWC database will validate all inbound files against the schema and any schema validation errors will result in the entire file being rejected.

The file structure is as follows:



Each file must consist of exactly one file header and zero or more transaction groups. Transaction groups include "addSubmissions", "findSubmissions" and "acknowledgements".

Each transaction group must contain zero or more transactions. E.G. the "addSubmissions" transaction group must contain zero or more "AddSubmission" type transactions.

2.4.3. File Header

The file header contains the required header level metadata. The following is the simplest valid, though not very useful ISWC database json message for the <u>Allocation</u> Service:





Note: The submittingPublisher nameNumber and role should be considered as included as an IP in each AddSubmission transaction where no administering or original role publisher is included in the interestedParties list. I.E. It acts as a default publisher and role where no publisher and role are included.

The following is the simplest valid ISWC database json message for the **<u>Resolution</u>** Service. Note that CISAC agency code 312 is inserted as submittingAgency for these transactions:



Field	Req	Field Description	Field Rules Reference
submittingAgency	М	Zero filled 3 digit Agency / Society code that the allocation transactions are being sent through.	
submittingSourcedb	М	Hub through which the Agency / Society sends data to the ISWC database. In most cases this will be same as the submittingAgency value.	
submittingPublisher / name	М	Name of submitting publisher	

submittingPublisher / nameNumber	М	IP Name Number for the submitting publisher	
submittingPublisher / role	0	One of two valid roles that the submitting publisher has for this submission.	21,22
submittingPublisher / email	М	Contact email address for publisher	
fileCreationDateTime	М	Date/Time file was created in ISO 8601 format.	
receivingAgency	М	Agency / Society code that the transactions are being sent to	

|--|

Ref	Description	Business Rules Document Ref
22	The submitting publisher, if provided, must be a member of the society/agency designated in the submittingAgency field. If none of the creators in a submission are members of that society/agency for the applicable creator roles, then the submitting publisher role must be provided.	
	I.E. In order to allocate an ISWC, the submitting publisher must have an "AM" or "E" role on the work being submitted and be a member of the society that the submission is being made through or one of the creators listed on the submission must be a member of the society that the submission is being made through for a valid creator role.	

2.4.3.2. Field Level Validation

Ref	Description	Business Rules Document Ref
21	If provided the submitting publisher role must be one of "AM" or "E".	

2.4.4. Transaction Groups

The following transaction groups are supported by the ISWC JSON format:

Transaction Group	Description	Orchestration
addSubmissions	New ISWC submissions. Each	Expected from publishers to the
	submission may be linked to an	ISWC Database
	existing preferredISWC or a new	
	preferredISWC may be generated for	
	it. The society must be ISWC eligible	
	for the metadata being submitted.	
	These transactions are similar to the	
	existing allocation service requests.	
findSubmissions	Retrieve an existing preferredISWC	Expected from publishers to the
	for a set of metadata provided. The	ISWC Database
	society does not have to be ISWC	
	eligible for the metadata being	
	submitted. These transactions are	
	similar to the existing resolution	
	service requests.	
Acknowledgements	Acknowledgements in response to	Expected from the ISWC Database to
	transactions above	publishers

2.4.5. JSON File Naming, Transfer and Encoding

2.4.6. File Encoding

All files will be encoded in UTF-8.

2.4.7. File Transfer and Location

The standard for transmission will be the Secure File Transfer Protocol (SFTP). Each ISWC agency or publisher will push files to an agency and publisher specific secure folder in a central ISWC Database public SFTP site and pull files from that secure folder.

2.4.8. File Naming Convention

ISWCP - identifies an ISWC Publisher file

YYYY-MM-DDTHH-MM-SS identifies the creation date and time of the file converted to UTC

SSS - Represents the Agency (Society) identifier of the sender of the file

PPP – Represents the Publisher Sender ID code as per CWR Sender IDs involved in this exchange

RRR - Represents the Agency (Society) identifier of the receiver of the file

YYNN – Represents an additional optional descriptor for the file. E.G. Publishers could use the existing convention as used by CWR for this.

If Sony/ATV Music Publishing LLC (Sender ID SA) send through IMRO (society code 128), a file that was created at 18:25 on Nov 25th, 2019 to the ISWC Database Centre (society code 315), the filename would be:

 $iswcp_2019\text{-}11\text{-}25T18\text{-}25\text{-}43_128_SA_315_SampleSubmissions.json$

2.5. Flat File Data Exchange Format

Chapter four below, describes the new combined flat file format that will also be supported.

2.5.1. Developer Artefacts

This specification includes the following additional companion artefacts that are specific to the flat file format:

File Name	Description
SampleSubmissionsAllocation.txt	Sample Publisher ISWC flat file that contains a set of
	ISWC Allocation Submission transactions from a
	publisher, through an agency (128), to be processed by the
	ISWC Database (315) and that conforms to the above
	schema.
SampleAcknowledgementsAllocation.txt	Sample ISWC Publisher flat file that contains a set of
	ISWC acknowledgement transactions from the ISWC
	database, to a publisher, through an agency in response
	to the transactions sent in the previous file.
SampleSubmissionsResolution.txt	Sample Publisher ISWC flat file that contains a set of
	ISWC Resolution Submission transactions from a
	publisher, through CISAC (312) as a Submitting Agency,
	to be processed by the ISWC Database (315) and that
	conforms to the above schema.
SampleAcknowledgementsResolution.txt	Sample ISWC Publisher JSON file that contains a set of
	ISWC acknowledgement transactions from the ISWC
	database, to a publisher, through a CISAC hosted
	Publisher SFTP folder

2.6. Embedded Process for Allocations

Agencies can provide an embedded process for allocations in two different ways using this new combined solution:

- 1. Agencies can integrate directly with the REST API for Agencies to allocate ISWCs for publishers or creators
- 2. Agencies can extract data from publisher/creator data exchanges in existing formats into the new JSON format and then submit these for allocation, processing the result.

3 JSON Format Transactions

The following section shows the expected format and validation rules for each transaction:

Field	Req	Field Description	Field Rules Reference
submissionId	М	Submitter provided unique id for the transaction within the file. This id can be used to tie an acknowledgement record back to its original transaction	
workcode	М	The publisher's identifier for the work. This information will be saved against the ISWC returned in the ISWC database and can be used by the society to cross validate ISWCs allocated by publishers with their subsequent CWR submissions.	
disambiguation	0	Flag. Indicates if this submission should be disambiguated from other known ISWCs with similar metadata. If set to true, then a disambiguationReason must also be provided.	
disambiguationReason	С	Reason for disambiguation. Must be provided if the disambiguation flag is set to true.	18
disambiguateFrom	С	Array of ISWCs. Must be provided if the disambiguation flag is set to true.	18
bvltr	0	May be provided if the disambiguation flag is set to True Background, Logo, Theme, Visual or Rolled Up Cue.	17
performers	С	May be provided if the disambiguation flag is set to True. Known list of performer last name and first name pairs. Used to provide more detail for submissions with the disambiguation flag set to true.	17

3.1. AddSubmission

instrumentation	С	May be provided if the disambiguation flag is set to True.	17
		Array of three-digit Instrument Codes and/or Standard Instrumentation Types as per standard CWR lookup tables.	
derivedWorkType	0	Derived Work Type. One of ModifiedVersion, Excerpt or Composite. If not provided, then this isn't a derived work	
		Submission containing a derivedWorkType value won't be matched against existing ISWCs with the same metadata but which don't have the same derivedWorkType. Multiple submissions with the same metadata (title and creators) and the same derivedWorkType values can be disambiguated from each other using the disambiguation flag above, if each submission represents a unique work. E.G. Multiple "Different Arrangements" of the same work.	
derivedFromIswcs	С	Must be provided if derivedWorkType is set.	19
		Array of iswc's or titles of the original work that this submission is derived from. E.G. If a derived work is derived from two different works where one's ISWC is known and the other isn't then this field value would look as follows:	
		"derivedFromIswcs": [{"iswc": "T1231231234"},{"title": "Another title"}],	
originalTitle	М	Original Work Title.	16
otherTitles	0	Other titles associated with musical composition (aka alternative titles). Title must include a title type and optionally, many include a language code (ISO 639-1).	
interestedParties	М	Interested party associated with musical composition, such as: composers, lyricist, translator, and original publishers. Interested Party includes a mandatory nameNumber and role fields. In addition, it includes optional name and baseNumber fields.	11,12,16
additionalIdentifiers	0	Optional list of additional identifiers that can be supplied with the submission. Currently limited to ISRCs but will be extended over time to incorporate additional identifiers. Example usage:	20
		"additionalIdentifiers": {"isrcs": ["AB1231212345","IE1231212345"]}	

Ref	Description	Business Rules Document Ref
11	If work submission does not contain IP with creator role, transaction is rejected. (TR)	IV/07
12	Reject submissions with certain configured IPs, ignore certain Ips in matching and deal with PD IPs	IV/24, IV/25, IV/29
16	If the matching criteria not satisfied, transaction is rejected. (TR)	MAT/01, MAT/02, MAT/03, MAT/04, MAT/42, MAT/40, MAT/40, MAT/39, MAT/09, MAT/09, MAT/10, MAT/41, MAT/41, MAT/43, MAT/30, MAT/31, MAT/39
17	If the disambiguation flag is set to True, then additional informational metadata may be provided.	IV/40
18	If the disambiguation flag is set to True, then a disambiguationReason and disambiguateFrom values must be provided.	IV/40, PV/30
19	If the derivedWorkType field is set, then the derivedFromIswcs field should be provided. The derivedFromISwcs field should contain the list of ISWCs that the work is derived from where available and where the ISWCs are not known it should contain the list of title(s).	IV/34, IV/36, IV/38
20	If present must contain one or more ISRCs. ISRCs must be a valid format without separators. E.G. "IE1231212345". In the future additional types of identifier may be supported. These identifiers will be initially used for reconciliation only.	

3.1.1. Transaction Level Validation

3.1.2. Field Level Validation

Ref	Description	Business Rules Document Ref

3.1.3. Sample

```
"addSubmissions": [
         "submissionId": 1,
        "workcode": "SONY10001",
         "disambiguation": false,
        "originalTitle": "string",
         "interestedParties": [
                 "nameNumber": 375001586,
                 "role": "CA"
        ],
         "additionalIdentifiers": {
             "isrcs": ["AB1231212345","IE1231212345"]
         }
         "submissionId": 2,
         "workcode": "SONY10002",
         "disambiguation": false,
         "originalTitle": "string",
         "otherTitles": [
                 "title": "string",
                 "type": "CT"
         ],
        "interestedParties": [
                 "nameNumber": 375001500,
                 "role": "CA"
```

3.2. FindSubmission

Field	Req	Field Description	Field Rules Reference
submissionId	М	Submitter provided unique id for the transaction within the file. This id can be used to tie an acknowledgement record back to its original transaction	
workcode	М	The publisher's identifier for the work. This information will be saved against the ISWC returned in the ISWC database and can be used by the society to cross validate ISWCs allocated by publishers with their subsequent CWR submissions.	
disambiguation	0	Flag. Indicates if this submission should be disambiguated from other known ISWCs with similar metadata. If set to true, then a disambiguationReason must also be provided.	
disambiguationReason	С	Reason for disambiguation. Must be provided if the disambiguation flag is set to true.	18
disambiguateFrom	С	Array of ISWCs. Must be provided if the disambiguation flag is set to true.	18
derivedWorkType	0	Derived Work Type. One of ModifiedVersion, Excerpt or Composite. If not provided, then this isn't a derived work Submission containing a derivedWorkType value won't be matched against existing ISWCs with the same metadata but which don't have the same derivedWorkType. Multiple submissions with the same metadata (title and creators) and the same derivedWorkType values can be disambiguated from each other using the disambiguation flag above, if each submission represents a unique work. E.G. Multiple "Different Arrangements" of the same work.	
derivedFromIswcs	С	Must be provided if derivedWorkType is set. Array of iswc's or titles of the original work that this submission is derived from.	19

originalTitle	М	Original Work Title. Must be transliterated prior to submission.	16
otherTitles	0	Other titles associated with musical composition (aka alternative titles). Title must include a title type and optionally, many include a language code (ISO 639-1)	
interestedParties	М	Interested party associated with musical composition, such as: composers, lyricist, translator, and original publishers. Interested Party includes a mandatory nameNumber and role fields. In addition, it includes optional name and baseNumber fields.	11,12,16
additionalIdentifiers	0	Optional list of additional identifiers that can be supplied with the submission e.g. Agency Work Codes. These work codes can be used for matching purposes where the user does not have IP information for all creator IPs. If supplied, the work code is used for matching before defaulting to title and creator metadata as per normal in the event of no match being found. If a match is made by workcode, all creator IP will be returned in the ACK file.	20

Open Items: The existing resolution service includes the ISWC as an optional input field. Should this be included here. If so, what is the expected behaviour? Ans: The Agency ISWC allocation process cross matches the metadata on the ISWC provided in the ISWC database with the metadata in the submission and if they are different returns the current matching one so in this usage the result would be the same as not providing it.

Ref	Description	Business Rules Document Ref
11	If work submission does not contain IP with creator role, transaction is rejected. (TR)	IV/07
12	Reject submissions with certain configured IPs, ignore certain IPs in matching and deal with PD IPs	IV/24, IV/25, IV/29
16	If The matching criteria not satisfied, transaction is rejected. (TR)	MAT/01, MAT/02, MAT/03, MAT/04, MAT/42,

3.2.1. Transaction Level Validation

		MAT/40, MAT/39, MAT/09, MAT/10, MAT/41, MAT/43, MAT/30, MAT/31,
18	If the disambiguation flag is set to True, then a disambiguationReason and disambiguateFrom values must be provided.	MA1/39 IV/40, PV/30
19	If the derivedWorkType field is set, then the derivedFromIswcs field should be provided. The derivedFromISwcs field should contain the list of ISWCs that the work is derived from where available and where the ISWCs are not known it should contain the list of title(s).	IV/34, IV/36, IV/38
20	If present must contain one or more ISRCs. ISRCs must be a valid format without separators. E.G. "IE1231212345". In the future additional types of identifier may be supported. These identifiers will be initially used for reconciliation only.	

3.2.2. Field Level Validation

Ref	Description	Business Rules Document Ref

3.2.3. Sample

"findSubmissions": [
{	
"submissionId": 3,	
"workcode": "SONY10003",	
"disambiguation": false,	
"originalTitle": "You rais	e me up",
"interestedParties": [
{	
"nameNumber": 8700	0986,
"role": "CA"	



3.3. Acknowledgement Record Format

The Acknowledgement record indicates whether the transaction was accepted and provides a status on the transaction that the acknowledgement has been generated for. The acknowledgment will include any error or warning messages associated with the original transaction.

Field	Req	Field Description	Field Rules Reference
submissionId	М	Submitter provided unique id for the transaction within the file. This id can be used to tie an acknowledgement record back to its original transaction	11
originalFileCreationDa teTime	М	The creation date/time of the original file that contained the transaction that this transaction applies to as per the fileHeader of that original file.	1
originalSubmissionId	М	The submissionId of the original transaction that this acknowledgement applied to.	2,11
originalTransactionTy pe	М	The Transaction Type of the original transaction that this acknowledgement applied to.	3
preferredIswc	0	Preferred ISWC assigned to the original transaction.	7
workcode	0	Represents the publishers identifier for the work associated with the outcome of the original transaction.	
originalTitle	0	Represents the original title associated with the ISWC returned as the outcome of the transaction.	
processingDateTime	М	The date/time this transaction or file was formally processed by the recipient (typically the ISWC database)	9
transactionStatus	М	The status or outcome of the original transaction. One of: FullyAccepted or Rejected. Note: "PartiallyAccepted" is also a valid response but based in the currently implemented rules will never be returned.	10

otherTitles	0	Other titles associated with the musical composition.	
interestedParties	0	Interested parties associated with the musical composition	13
workInfo	С	Other society work information associated with the returned ISWC.	
errorMessages	С	Details of any errors that occurred with the transaction.	11

3.3.1. Transaction Level Validation

Ref	Description	Business Rules Document Ref
11	Only one acknowledgment is allowed per transaction. (TR)	

3.3.2. Field Level Validation

Ref	Description	Business Rules Document Ref
1.	Must match the creation date/time of the original file that contained the transaction that this acknowledgement applies to as per the fileHeader of that original file.	
2.	The originalSubmissionId must exist within the file referred to by originalFileCreationDateTime. (TR)	
3.	originalTransactionType must match the transaction referred to by originalSubmissionId above (TR)	
7.	If provided, preferred ISWC must be a valid ISWC Number. (TR)	IV/14
9.	Must be a valid date/time (TR)	
10.	Must be one of: FullyAccepted, PartiallyAccepted or Rejected	
11.	Will be provided if the transaction has a transactionStatus of "PartiallyAccepted" or "Rejected"	
13	If Interested Party information is returned it will include only nameNumber, name and role fields. It will never include baseNumber.	

3.3.3. Sample

```
"$schema": "./iswc_publisher_schema.json",
"fileHeader": {
    "submittingAgency": "128",
    "submittingSourcedb": 128,
    "submittingPublisher": {
        "name": "Sony/ATV Music Publishing LLC",
        "nameNumber": 269021863,
        "email": "info@spanishpoint.ie"
    },
   "fileCreationDateTime": "2019-10-01T18:25:43.511Z",
    "receivingAgency": "315"
},
"acknowledgements": [
        "submissionId": 1000,
        "originalFileCreationDateTime": "2019-10-01T18:25:43.511Z",
        "originalSubmissionId": 1,
        "originalTransactionType": "AddSubmission",
        "preferredIswc": "T0302332075",
        "workcode": "SONY10001",
        "originalTitle": "",
        "processingDate": "2019-11-25T18:25:43.511Z",
        "transactionStatus": "FullyAccepted",
        "workInfo": [
                "agency": "072",
                "sourcedb": 72,
                "workcode": "637947"
            },
                "agency": "029",
                "sourcedb": 29,
                "workcode": "177157029"
```

```
},
            "submissionId": 1001,
            "originalFileCreationDateTime": "2019-10-01T18:25:43.511Z",
            "originalSubmissionId": 2,
            "originalTransactionType": "AddSubmission",
            "workcode": "SONY10002",
            "originalTitle": "",
            "processingDate": "2019-11-25T18:25:43.511Z",
            "transactionStatus": "Rejected",
            "errorMessages": [
                    "errorType": "Transaction Rejected",
                    "errorNumber": 104,
                    "errorMessage": "CSI:The provided IP Name Nbr is a Sta
tus 3 on the IPI DB which are not accepted. Please resubmit with the IP N
ame Nbr of the corresponding Status 1 IP Base Nbr."
            1
        },
            "submissionId": 1002,
            "originalFileCreationDateTime": "2019-10-01T18:25:43.511Z",
            "originalSubmissionId": 3,
            "originalTransactionType": "FindSubmission",
            "workcode": "SONY10003",
            "preferredIswc": "T9176016301",
            "originalTitle": "you raise me up",
            "processingDate": "2019-11-25T18:25:43.511Z",
            "transactionStatus": "FullyAccepted",
            "workInfo": [
                    "agency": "052",
                    "sourcedb": 52,
                    "workcode": "192581DM"
                },
                    "agency": "079",
                    "sourcedb": 79,
                    "workcode": "00027882687"
                },
                    "agency": "090",
```



4 Flat File Data Exchange Format

This chapter describes the new combined allocation and resolution flat file format. This format is based on the existing flat file formats supported by the existing allocations and resolution services. It includes the additional data elements supported by the new ISWC database.

4.1. File Structure

This section describes the overall file structure and the record structure for each type of transaction.

4.1.1.1. File Headers and Delimiters

All files will be **tab delimited** and will contain a single record type which corresponds to one of the three supported transactions types:

- AddSubmission

This represents an ISWC Allocation transaction. Sent from a publisher to their ISWC Agency / Society.

- FindSubmission

This represents an ISWC Resolution transaction. Sent from a publisher to CISAC.

- Acknowledgement

This represents the outcome of a previously sent AddSubmission or FindSubmission transaction file. Sent from an ISWC Agency/Society or CISAC to a publisher.

Column headers should be excluded from the file.

Where **repeating information is to be provided in a single field** (e.g. the disambiguateFrom field below) then the **pipe delimiter** ("|") **should be used** to separate the different values within that one field.

4.1.2. AddSubmission / Allocation Record

Field	Field #	Req	Field Description	Field Rules Reference
recordType	0	М	AddSubmissions	
submissionId	1	М	Submitter provided unique id for the transaction within the file. This id can be used to tie an acknowledgement record back to its original transaction	
submittingAgency	2	М	Zero filled 3 digit Agency / Society code that the allocation transactions are being sent through.	
submittingSourcedb	3	М	Hub through which the Agency / Society sends data to the ISWC database. In most cases this will be same as the submittingAgency value.	
submittingPublisher / name	4	М	Name of submitting publisher	
submittingPublisher / nameNumber	5	М	IP Name Number for the submitting publisher	
submittingPublisher / role	6	0	One of two valid roles that the submitting publisher has for this submission.	21,22
submittingPublisher / email	7	М	Contact email address for publisher	
workcode	8	М	The publisher's identifier for the work. This information will be saved against the ISWC returned in the ISWC database and can be used by the society to cross validate ISWCs allocated by publishers with their subsequent CWR submissions.	
disambiguation	9	0	<u>Though data for fields 9 – 17 is not mandatory,</u> <u>user should enter an empty tab for each otherwise</u> <u>file will fail validation.</u>	23
			Flag. "true" or "false". Indicates if this submission should be disambiguated from other known ISWCs with similar metadata.	
			If set to true, then a disambiguationReason must also be provided.	
disambiguationReason	10	С	Reason for disambiguation. Must be provided if the disambiguation flag is set to true.	18
			See appendix B for information on codes and descriptions.	

Each AddSubmission/Allocation record should have the following structure:

disambiguateFrom	11	С	Array of ISWCs. Must be provided if the disambiguation flag is set to true. Multiple ISWCs must be "1" delimited. Each ISWC must be in the correct format and be a valid existing ISWC. I.E. Must begin with 'T' and be followed with a 10 digit number with no separators.	18
bvltr	12	0	May be provided if the disambiguation flag is set to True	17
			Background, Logo, Theme, Visual or Rolled Up Cue.	
Performers / firstName	13	С	May be provided if the disambiguation flag is set to True.	17
			Known list of performer last name and first name pairs. Used to provide more detail for submissions with the disambiguation flag set to true.	
			Multiple names must be " " delimited.	
Performers /lastName	14	С	Must be provided if Performer firstName is entered	17
			Known list of performers first names. Used to provide more detail for submissions with the disambiguation flag set to true.	
			Multiple names must be " " delimited and must be provided in same sequence as lastNames above.	
Instrumentation	15	С	May be provided if the disambiguation flag is set to True. List of three-digit Instrument Codes and/or Standard Instrumentation Types as per standard CWR lookup tables. Multiple values must be " " delimited.	17
derivedWorkType	16	0	Derived Work Type. One of ModifiedVersion, Excerpt or Composite. If not provided, then this isn't a derived work.	
			Submission containing a derivedWorkType value won't be matched against existing ISWCs with the same metadata but which don't have the same derivedWorkType. Multiple submissions with the same metadata (title and creators) and the same derivedWorkType values can be disambiguated from each other using the disambiguation flag above, if each submission represents a unique work. E.G. Multiple "Different Arrangements" of the same work.	

derivedFromIswcs	17	С	Must be provided if derivedWorkType is set.	19
			Array of iswcs that this submission is derived from. Multiple ISWCs must be "1" delimited. Each ISWC must be in the correct format and be a valid existing ISWC. I.E. Must begin with 'T' and be followed with a 10 digit number with no separators.	
originalTitle	18	М	Original Work Title. Multiple values must be " " delimited.	16
ISRCs	19	0	<u>Though this field is not mandatory, user should</u> <u>enter an empty tab otherwise file will fail</u> <u>validation.</u>	24
			Optional list of ISRCs that can be supplied with the submission.	
interestedParty1 / name	20	М	Name of first interested party associated with musical composition, such as: composers, lyricist, translator, and original publishers.	11,12,16
			Name should be Lastname first, first name(s) second. E.G. "LENNON JOHN WINSTON" or "MCCARTNEY PAUL JAMES"	
interestedParty1 / nameNumber	21	М	IP name number of first interested party associated with musical composition, such as: composers, lyricist, translator, and original publishers.	11,12,16
interestedParty1 / role	22	М	Role of first interested party associated with musical composition, such as: composers, lyricist, translator, and original publishers. Must be one of the following role codes: "CA", "AR", "SE", "PA", "ES", "AM", "SA", "C", "AD", "A", "E", "AQ", "SR", "TR"	11,12,16,25
interestedPartyN / name		М	Name of Nth ¹ interested party associated with musical composition, such as: composers, lyricist, translator, and original publishers.	11,12,16
			Name should be Lastname first, first name(s) second. E.G. "LENNON JOHN WINSTON" or "MCCARTNEY PAUL JAMES"	

¹ The name, nameNumber and role columns will be repeated for each Interested Party (IP) in a record / submission. If a record has two IPs then the three columns will be repeated twice. If a record has **N** IPs then the three columns will be repeated N times.

interestedPartyN / nameNumber	М	IP name number of Nth interested party associated with musical composition, such as: composers, lyricist, translator, and original publishers.	11,12,16
interestedPartyN / role	М	Role of Nth interested party associated with musical composition, such as: composers, lyricist, translator, and original publishers. Must be one of the following role codes: "CA", "AR", "SE", "PA", "ES", "AM", "SA", "C", "AD", "A", "E", "AQ", "SR", "TR"	11,12,16,25

Ref	Description	Business Rules Document Ref
11	If work submission does not contain IP with creator role, transaction is rejected. (TR)	IV/07
12	Reject submissions with certain configured Ips, ignore certain Ips in matching and deal with PD Ips	IV/24, IV/25, IV/29
16	If The matching criteria not satisfied, transaction is rejected. (TR)	MAT/01, MAT/02, MAT/03, MAT/04, MAT/42, MAT/40, MAT/40, MAT/39, MAT/09, MAT/09, MAT/10, MAT/41, MAT/41, MAT/43, MAT/31, MAT/39
17	If the disambiguation flag is set to True, then additional informational metadata may be provided. Information on codes and descriptions is provided in Appendix B.	IV/40
18	If the disambiguation flag is set to True, then a disambiguationReason and disambiguateFrom values must be provided.	IV/40, PV/30

4.1.2.1. Transaction Level Validation

19	If the derivedWorkType field is set, then the derivedFromIswcs field should be provided. The derivedFromISwcs field should contain the list of ISWCs that the work is derived from.	IV/34, IV/36, IV/38
20	If present must contain one or more ISRCs. ISRCs must be a valid format without separators. E.G. "IE1231212345". In the future additional types of identifier may be supported. These identifiers will be initially used for reconciliation only.	
22	The submitting publisher, if provided, must be a member of the society/agency designated in the submittingAgency field. If none of the creators in a submission are members of that society/agency for the applicable creator roles, then the submitting publisher role must be provided. I.E. In order to allocate an ISWC, the submitting publisher must have an "AM" or "E" role on the work being submitted and be a member of the society that the submission is being made through or one of the creators listed on the submission	
	must be a member of the society that the submission is being made through for a valid creator role.	

4.1.2.2. Field Level Validation

Ref	Description	Business Rules Document Ref
21	If provided the submitting publisher role must be one of "AM" or "E".	
23	Must be "true" or "false"	
24	All ISRCs must conform to the expected ISRC format. I.E. fulfil the following regular expression: $[A-Z]{2}[A-Z \setminus d]{3} \setminus d{2} \setminus d{5}$	
25	Must be one of the following role codes: "CA", "AR", "SE", "PA", "ES", "AM", "SA", "C", "AD", "A", "E", "AQ", "SR", "TR"	

4.1.3. FindSubmission / Resolution Record

Each FindSubmission/Resolution record should have the following structure:

Field	Field #	Req	Field Description	Field Rules Reference
recordType	0	М	FindSubmissions	
submissionId	1	М	Submitter provided unique id for the transaction within the file. This id can be used to tie an acknowledgement record back to its original transaction	
submittingAgency	2	М	Agency / Society code that the resolution transactions are being associated with.	
submittingSourcedb	3	М	Hub of the Agency / Society that the resolution transactions are being associated with. In most cases this will be same as the submittingAgency value.	
submittingPublisher / name	4	М	Name of submitting publisher	
submittingPublisher / nameNumber	5	М	IP Name Number for the submitting publisher	
submittingPublisher / role	6	0	One of two valid roles that the submitting publisher has for this submission.	21
submittingPublisher / email	7	М	Contact email address for publisher	
workcode	8	М	The publisher's identifier for the work. This information will be saved against the ISWC returned in the ISWC database and can be used by the society to cross validate ISWCs retrieved by publishers with their subsequent CWR submissions.	
disambiguation	9	0	Though data for fields 9 – 13 is not mandatory, user should enter an empty tab for each otherwise file will fail validation.Flag. Indicates if this submission should be disambiguated from other known ISWCs with similar metadata.If set to true, then a disambiguationReason must also be provided.	23
disambiguationReason	10	С	Reason for disambiguation. Must be provided if the disambiguation flag is set to true.	18
disambiguateFrom	11	С	Array of ISWCs. Must be provided if the disambiguation flag is set to true. Multiple ISWCs must be " " delimited. Each ISWC must be in the correct format and be a valid existing ISWC. I.E. Must begin with 'T' and be followed with a 10 digit number with no separators.	18

derivedWorkType	12	0	Derived Work Type. One of ModifiedVersion, Excerpt or Composite. If not provided, then this isn't a derived work.	
			Submission containing a derivedWorkType value won't be matched against existing ISWCs with the same metadata but which don't have the same derivedWorkType. Multiple submissions with the same metadata (title and creators) and the same derivedWorkType values can be disambiguated from each other using the disambiguation flag above, if each submission represents a unique work. E.G. Multiple "Different Arrangements" of the same work.	
derivedFromIswcs	13	С	Must be provided if derivedWorkType is set.	19
			Array of iswes that this submission is derived from. Multiple ISWCs must be " " delimited.	
			Each ISWC must be in the correct format and be a valid existing ISWC. I.E. Must begin with 'T' and be followed with a 10 digit number with no separators.	
originalTitle	14	М	Original Work Title. Multiple values must be " " delimited.	16
additionalIdentifiers / ISRCs	15	0	<u>Though this field is not mandatory, user should enter an empty tab otherwise file will fail validation.</u>	24
			Optional list of ISRCs that can be supplied with the submission.	
additionalIdentifiers / agencyWorkCodes	16	0	<u>Though this field is not mandatory, user should</u> <u>enter an empty tab otherwise file will fail</u> <u>validation.</u>	
			Agency work codes, used for matching. Formatted as a " " delimited collection of tuple values as follows "(aa1,ww1)" where ww1 is the first work code and aa1 the agency code.	
			These work codes can be used for matching purposes where the user does not have IP information for all creator IPs. If supplied, the work code is used for matching before defaulting to title and creator metadata as per normal in the event of no match being found.	

interestedParty1 / name	17	М	Name of first interested party associated with musical composition, such as: composers, lyricist, translator, and original publishers.	11,12,16
			Name should be Lastname first, first name(s) second. E.G. "LENNON JOHN WINSTON" or "MCCARTNEY PAUL JAMES"	
interestedParty1 / nameNumber	18	М	IP name number of first interested party associated with musical composition, such as: composers, lyricist, translator, and original publishers.	11,12,16
interestedParty1 / role	19	М	Role of first interested party associated with musical composition, such as: composers, lyricist, translator, and original publishers. Must be one of the following role codes: "CA", "AR", "SE", "PA", "ES", "AM", "SA", "C", "AD", "A", "E", "AQ", "SR", "TR"	11,12,16,25
interestedPartyN / name		М	Name of N th ² interested party associated with musical composition, such as: composers, lyricist, translator, and original publishers.	11,12,16
			Name should be Lastname first, first name(s) second. E.G. "LENNON JOHN WINSTON" or "MCCARTNEY PAUL JAMES"	
interestedPartyN / nameNumber		М	IP name number of N th interested party associated with musical composition, such as: composers, lyricist, translator, and original publishers.	11,12,16
interestedPartyN / role		М	Role of Nth interested party associated with musical composition, such as: composers, lyricist, translator, and original publishers. Must be one of the following role codes: "CA", "AR", "SE", "PA", "ES", "AM", "SA", "C", "AD", "A", "E", "AQ", "SR", "TR"	11,12,16,25

 $^{^{2}}$ The name, nameNumber and role columns will be repeated for each Interested Party (IP) in a record / submission. If a record has two IPs then the three columns will be repeated twice. If a record has **N** IPs then the three columns will be repeated N times.

Ref	Description	Business Rules Document Ref
11	If work submission does not contain IP with creator role, transaction is rejected. (TR)	IV/07
12	Reject submissions with certain configured Ips, ignore certain Ips in matching and deal with PD Ips	IV/24, IV/25, IV/29
16	If The matching criteria not satisfied, transaction is rejected. (TR)	MAT/01, MAT/02, MAT/03, MAT/04, MAT/42, MAT/40, MAT/40, MAT/39, MAT/09, MAT/09, MAT/10, MAT/41, MAT/41, MAT/43, MAT/30, MAT/31, MAT/39
17	If the disambiguation flag is set to True, then additional informational metadata may be provided.	IV/40
18	If the disambiguation flag is set to True, then a disambiguationReason and disambiguateFrom values must be provided.	IV/40, PV/30
19	If the derivedWorkType field is set, then the derivedFromIswcs field should be provided. The derivedFromISwcs field should contain the list of ISWCs that the work is derived from.	IV/34, IV/36, IV/38

4.1.3.1. Transaction Level Validation

4.1.3.2. Field Level Validation

Ref	Description	Business Rules Document Ref
21	If provided the submitting publisher role must be one of "AM" or "E".	
23	Must be "true" or "false"	
24	All ISRCs must conform to the expected ISRC format. I.E. fulfil the following regular expression: $[A-Z]{2}[A-Z \setminus d]{3} \setminus d{2} \setminus d{5}$	

25	Must be one of the following role codes: "CA", "AR", "SE", "PA", "ES", "AM", "SA", "C", "AD", "A", "E", "AQ", "SR",	
	"TR"	

4.1.4. Acknowledgment Record

Each Acknowledgement record should have the following structure:

Field	Field #	Req	Field Description	Field Rules Reference
recordType	0	М	Acknowledgement	
submittingAgency	1	М	Agency / Society code that the resolution transactions are being associated with.	
submittingSourcedb	2	М	Hub of the Agency / Society that the resolution transactions are being associated with. In most cases this will be same as the submittingAgency value.	
submittingPublisher / name	3	М	Name of submitting publisher	
submittingPublisher / nameNumber	4	М	IP Name Number for the submitting publisher as provided in	
submittingPublisher / role	5	0	Role of submitting publisher if provided in original submission.	
submittingPublisher / email	6	М	Contact email address of submitting publisher as provided in original submission	
originalSubmissionId	7	М	The submissionId of the original transaction that this acknowledgement applied to.	2,11
preferredIswc	8	0	Preferred ISWC assigned to the original transaction.	7
workcode	9	0	Represents the publisher's identifier for the work associated with the outcome of the original transaction.	
originalTitle	10	0	Represents the original title for the work associated with the outcome of the original transaction.	
processingDateTime	11	М	The date/time this transaction or file was formally processed by the recipient (typically the ISWC database)	9
transactionStatus	12	М	The status or outcome of the original transaction. One of: FullyAccepted or Rejected	10
errorMessages	13	С	Details of any errors that occurred with the 11 transaction.	
workInfo1 / agency	14	С	Identifies the society of the first society work code associated with the returned preferred ISWC. Will	

			be provided if a preferred ISWC is assigned and existing society work codes are already linked to that ISWC.	
workInfo1 / sourcedb	15	С	Identifies the hub used for the first society work code associated with the returned preferred ISWC. Will be provided if a preferred ISWC is assigned and existing society work codes are already linked to that ISWC.	
workInfo1 / workcode	16	С	Identifies the first society work code associated with the returned preferred ISWC. Will be provided if a preferred ISWC is assigned and existing society work codes are already linked to that ISWC.	
workInfoN / agency		С	Identifies the society of the N th society or Publisher work code associated with the returned preferred ISWC. Will be provided if a preferred ISWC is assigned and existing society work codes are already linked to that ISWC.	
workInfoN / sourcedb		С	Identifies the hub used for the Nth society work code associated with the returned preferred ISWC. Will be provided if a preferred ISWC is assigned and existing society work codes are already linked to that ISWC.	
workInfoN / workcode		С	Identifies the Nth society work code associated with the returned preferred ISWC. Will be provided if a preferred ISWC is assigned and existing society work codes are already linked to that ISWC.	

4.1.4.1. Transaction Level Validation

Ref	Description	Business Rules Document Ref
11	Only one acknowledgment is allowed per transaction. (TR)	

4.1.4.2. Field Level Validation

Ref	Description	Business Rules Document Ref
1.	Must match the creation date/time of the original file that contained the transaction that this acknowledgement applies to as per the fileHeader of that original file.	
2.	The originalSubmissionId must exist within the file referred to by originalFileCreationDateTime. (TR)	
7.	If provided, preferred ISWC must be a valid ISWC Number. (TR)	IV/14
9.	Must be a valid date/time (TR)	

10.	Must be one of: FullyAccepted, PartiallyAccepted or Rejected	
11.	Will be provided if the transaction has a transactionStatus of "PartiallyAccepted" or "Rejected"	

4.2. File Naming, Transfer and Encoding

4.2.1. File Encoding

All files will be encoded in UTF-8.

4.2.2. File Transfer and Location

The standard for transmission will be the Secure File Transfer Protocol (SFTP). Each ISWC agency or publisher will push files to an agency and publisher specific secure folder in a central ISWC Database public SFTP site and pull files from that secure folder.

4.2.3. File Naming Convention

ISWCP – identifies an ISWC Publisher file

YYYY-MM-DDTHH-MM-SS identifies the creation date and time of the file converted to UTC

SSS – Represents the Agency (Society) identifier of the sender of the file

PPP – Represents the Publisher Sender ID code as per CWR Sender IDs involved in this exchange

RRR - Represents the Agency (Society) identifier of the receiver of the file

YYNN – Represents an additional optional descriptor for the file. E.G. Publishers could use the existing convention as used by CWR for this.

If Sony/ATV Music Publishing LLC (Sender ID SA) send through IMRO (society code 128), a file that was created at 18:25 on Nov 25th, 2019 to the ISWC Database Centre (society code 315), the filename would be:

 $iswcp_2019\text{-}11\text{-}25T18\text{-}25\text{-}43_128_SA_315_SampleSubmissions.txt$

5 Changes to Agency Solution

This chapter describes the changes needed to the already developed Agency solution in order to be able to support the new ISWC Publisher JSON format data exchange described above.

5.1. ISWC Database Data-Structure Changes

This section describes the changes to existing data structures required to support the combined allocation and resolution solution.

5.2. ISWC Database Data-Structure Changes

This section describes the changes to existing data structures required to support the combined allocation and resolution solution.

5.2.1. [ISWC].[AdditionalIdentifier] Table

The current [ISWC].[WorkInfo] table holds up-to-date information on each Agency submission, both ISWC eligible and non ISWC eligible submissions, linked to an ISWC. Where an agency, using the same agency workcode, provides a secondary submission using the same agency workcode the existing [WorkInfo] record with that workcode is updated.

In the existing CSI system, allocation requests generate the equivalent of a new [WorkInfo] record using an autogenerated agency workcode. We propose to continue this approach in the new system.

In addition, we propose to capture an identifier for the publisher and the publishers provided workcode. We will also capture other identifiers for the work being submitted (initially an optional ISRC). These identifiers will be held in the new [AdditionalIdentifier] table:

Column	Data Type	Required	Description
AdditionalIdentifierID	Bigint	Y	Autogenerated Primary Key
WorkInfoID	Bigint	Y	Foreign Key to ISWC.WorkInfo table

NumberTypeID	Int	Yes	ID for Number. Linked to a new [Lookup] schema table. Each Publisher will map to a unique NumberTypeID value. Additional types of numbers such as ISRCs will also map to a unique NumberTypeID value.
WorkIdentifier	Nvarchar(20)	No	Identifier for the specified number type (either an ISRC or publisher workcode)r

5.2.2. [Lookup].[NumberType] Table

Column	Data Type	Required	Description
NumberTypeID	Int	Yes	ID for a work number type.
			Each Publisher will map to a unique NumberTypeID value. Additional types of numbers such as ISRCs will also map to a unique NumberTypeID value. Publisher NumberTypeID values should start at 1000
Code	Nvarchar(10)	Yes	Code for number. Will be a publisher submitter code such as "SA" or "ISRC"
Description	Nvarchar(80)	No	Description for number type

5.2.3. [Lookup].[PublisherSubmitterCode] Table

Lookup data to map submitting publisher IP Name Numbers to a common SubmitterCode so that this SubmitterCode can in turn map to NumberType to capture publisher workcodes in a consistent way. See CISAC document for the current mapping info: https://members.cisac.org/CisacPortal/cisacDownloadFile.do?docId=8558

interest of the second of the		o mino de moi	
Column	Data Type	Required	Description
	,1	Ĩ	2

PublisherSubmitterCodeI D	Int	Yes	Autogenerated ID
Code	Nvarchar(10)	Yes	Should correspond to a TypeCode value in the [NumberType] lookup table
IPNameNumber	Int	Yes	IP Name Number of submitter

6 Reporting

This chapter describes summarises key reporting requirements for the allocation and resolution solution. This chapter is for information purposes only – it does not form part of the scope of this design document. The reporting module itself will be defined in a separate specification that will cover the reporting capabilities that will be available for agencies across all centrally maintained ISWC data.

Key reporting requirements:

- 1. Societies will be provided with a report of ISWCs, including meta-data, in which the society has an interest (including those which have been requested through a different society)
- 2. Ratio/number of ISWCs created by the ISWC Allocation Service and ISWCs verified when a society work code is assigned and submitted for validation.
- 3. Ratio/Number of requests rejected due to failing technical validation
- 4. Ratio/Number of requests rejected due to failing business validation
- 5. Additional Stats to capture compliancy to SLOs
- 6. Number of ISWCs allocated including historical (comparative report against historical data)
- 7. For the resolution service, reporting should allow a society to identify which of its publishers are making requests, which works they are requesting ISWCs for and what information is being returned to the publisher

Appendix A – Open and Closed Items

This appendix provides a tracking list of specific issues/queries raised by CISAC during the specification process and how they were incorporated or excluded from this specification:

Open a	and Closed Items			
ID	Description	Response	Status	Next Action By
	Open Item: Is it possible to get an ISWC for a work where the society that allocation request is going through doesn't have an Administrator, Original Publisher or Creator on the work data.	ResponseIn the existing allocation fileformats, the submitter is treatedas an original publisher oradministrator for each request /line item and therefore the samerules as are in place for societysubmissions can be implementedfor publisher submissionsthrough a society (allocations). Inthe new format we are alsoasking for the publisher rolewhich would need to be one ofadministrator or originalpublisher. This is important tobring the implementation of therules applied for eligibility intoalignment with the rules in placefor agencies.Design team to validate this withpublishers as part of the fileformat review.Updated following workshopwith PublishersIncorporation of publisher role isok with Publishers. Also added adefault value at header level.	Closed	Design Team
2	Open Item: Must all allocation service requests go through societies file shares	This specification is for a single combined software application to cater for allocations and resolution.	Closed	John C

		It is agnostic as to the process		
		through which files get to or are		
		retrieved from the service. The		
		introduction section has been		
		updated to reflect this.		
3	Open Item: Remove any	John C to investigate how this	Closed	Design Team
	disambiguation data that is	can be done.		U U
	provided though allow it in the			
	format.	Ans: This can be done reasonably		
		easily as we can just not pass it		
		through from the file format into		
		the web service. When needed		
		going forward we can add it back		
		in again. Are we sure we really		
		want to do this though? It seems		
		simpler to me to just say to the		
		publishers not to use it for now		
		and just monitor it. If needed, I'll		
		add in some additional rules		
		against these fields in the format		
		to define it. Next action is for the		
		design team to decide if we need		
		to do this or not.		
		Updated following workshop on		
		10 th Feb:		
		Agreed with the design team that		
		either way of doing it is		
		acceptable. I.E. Through the		
		software or through		
		communicating to publishers that		
		they should not use the feature		
		until notified.		
		I suggest we proceed with the		
		"communicating to publishers"		
		approach.		
		Updated following workshop		
		with Publishers		
		In general Publishers were ok		
		with a delayed usage of the		
		disambiguation functionality.		

4	Open Item: Support the	I've added in an additional	Closed	
	capture of additional identifiers	identifiers section that for now		
	such as ISRCs through	just includes ISRCs. See 3.1 and		
	allocation requests.	3.2 above.		
5	John C to track submitters work	This is now reflected in section	Closed.	
	numbers for both allocation and	3.2 and the associated developer		
	resolution service.	artefacts		
6	Need to test the idea that we	Next action is for the design team	Closed	Design Team
	can consolidate on a single	to take the provisionally agreed		
	JSON format with Publishers	specification to publishers and		
		get their feedback.		
		Updated following workshop on		
		10 th Feb:		
		As a fall back we can look to		
		support the existing EDI formats		
		for allocations and resolution in		
		addition to the JSON one through		
		with minor changes to collect the		
		required additional data		
		(publisher role and publisher		
		work number)		
		Updated following workshop		
		with Publishers		
		EDI based format is not required.		
		JSON and Flat File formats have		
		been included.		
7	Currently this spec doesn't	Added section 2.6 to document	Closed	Design Team
	incorporate updating the	the options for societies in		
	embedded process as it is	implementing an embedded		
	currently not in use. Need to	process. This specification does		
	validate if this is the case.	not include the redevelopment of		
		the IAS Conversion Tool. This		
		tool in not in live use and no		
		society has been identified to		
		carry out testing with. I propose		
		that we consider building a		
		replacement for this tool only if		
		there is real demand for it. It		
		could be built and tested quickly		
		so if a society wants to use it then		
		it could be developed then. Next		
		action is for the design team to		

		confirm that this is acceptable or not.		
		Updated following workshop on 10 th Feb:		
		Suggest that we revisit this after the publisher consultation. If we		
		end up also supporting the existing EDI formats for		
		allocations and resolution, then the existing FastTrack file		
		converter application could still be used		
		Updated following workshop with Publishers		
		EDI based format is not required.		
		been included.		
8	Need to define the requirements for reporting across	Design Team to review specific requirements listed by Niamh in chapter 5 and confirm if these are required	Closed	Design Team
		Agreed that the overall ISWC		
		be covered by a separate		
9	John C to include list of	Included in Appendix B.	Closed	
-	disambiguation reason codes to	and an appendix b.	cioca	
	the document			

Appendix B – Lookup Codes and Descriptions

This appendix provides a list of lookup codes and descriptions used in the above specification:

Disambiguation Reason Codes			
Code	Description		
DIT	Different work which has the same title and creators. Can be distinguished by adding supplemental information, such as performer or instrumentation details.		
	For example:		
	Work 1. Title = Happy / Creator = Pharrell Williams		
	Work 2. Title = Happy / Creator = Pharrell Williams / Performer = N.E.R.D		
DIA	The work has the same title and creators but is a different arrangement of the work		
	For example:		
	An arrangement for specific instruments, e.g. strings		
	A different arrangement for a new album		
DIE	The work has the same title and creators but is an Excerpt of another work		
DIC	The work has the same title and creators but is a different AV Work / Cue		
	The BVLTR indicator can be used to provide further information about what type of cue the work is, i.e. background, logo, theme, visual or rolled up cue		
DIV	The work has the same title and creators but is a different version of a work (excerpt,		
	modified work e.g. instrumental) with different shares		

Derived Work Types		
Code	Description	
ModifiedVersion	Modified version of a work	
Excerpt	Excerpt of a work	
Composite	Composite of one or more works	